

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 4062.24US02

Jose de la Torre-Bueno

Confirmation No.: 2608

Application No.: 10/822,561

Examiner: Colin M. LaRose

Filed: April 8, 2004

Group Art Unit: 2624

For: AUTOMATED MEASUREMENT OF CONCENTRATION AND/OR AMOUNT IN A
BIOLOGICAL SAMPLE

SUBSTITUTION OF ATTORNEY

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

I hereby appoint the practitioners associated with **Customer Number 24113** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Address all telephone calls to: Douglas J. Christensen at telephone number (612) 349-3001.

Address all correspondence to:

Customer Number 24113
Douglas J. Christensen
Patterson, Thuent, Skaar & Christensen, P.A.
4800 IDS Center, 80 South 8th Street
Minneapolis, Minnesota 55402-2100

Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

Application No. 10/822,561

Please reference Attorney Docket No. 4062.24US02 on all correspondence.
Additionally, please charge any future fees to Deposit Account No. 16-0631.

All previous powers of attorney granted in this case are hereby revoked.

Carl Zeiss MicroImaging AIS, Inc., Assignee

Date: 2/26/08

Signature

Jack Zeiner

Name Printed or Typed

Chief Science Officer
Title